

## ACOUSTIC



### PN

16002  
16027  
16052  
16077  
16102  
16182

### Phosphor Bronze with NANOWEB® Coating

Extra Light  
Custom Light  
Light  
Light/Medium  
Medium  
HD Light

E-1	B-2	G-3	D-4	A-5	E-6
.010	.014	.023	.030	.039	.047
.011	.015	.022	.032	.042	.052
.012	.016	.024	.032	.042	.053
.012	.016	.024	.035	.045	.056
.013	.017	.026	.035	.045	.056
.013	.017	.025	.032	.042	.053

16152

12-String Light

E	B	G	D	A	E
.010	.014	.023	.030	.039	.047
.010	.014	.009	.012	.018	.027



### PN

11002  
11027  
11052  
11077  
11102  
11182

### 80/20 Bronze with NANOWEB Coating

Extra Light  
Custom Light  
Light  
Light/Medium  
Medium  
HD Light

E-1	B-2	G-3	D-4	A-5	E-6
.010	.014	.023	.030	.039	.047
.011	.015	.022	.032	.042	.052
.012	.016	.024	.032	.042	.053
.012	.016	.024	.035	.045	.056
.013	.017	.026	.035	.045	.056
.013	.017	.025	.032	.042	.053

11306

Baritone

B-1	F#-2	D-3	A-4	E-5	B-6
.016	.022	.030	.047	.059	.070

11308

8-String Baritone

B-1	F#-2	D-3	A-4	E-5	B-6
.016	.022	.030	.047	.059	.070
		.012	.014		

11152

12-String Light

E	B	G	D	A	E
.010	.014	.023	.030	.039	.047
.010	.014	.009	.012	.018	.027



### PN

11000  
11025  
11050  
11075  
11100  
11125

### 80/20 Bronze with POLYWEB® Coating

Extra Light  
Custom Light  
Light  
Light/Medium  
Medium  
Resonator

E-1	B-2	G-3	D-4	A-5	E-6
.010	.014	.023	.030	.039	.047
.011	.015	.022	.032	.042	.052
.012	.016	.024	.032	.042	.053
.012	.016	.024	.035	.045	.056
.013	.017	.026	.035	.045	.056
.016	.018	.028	.035	.045	.056

11150

12-String Light

E	B	G	D	A	E
.010	.014	.023	.030	.039	.047
.010	.014	.009	.012	.018	.027

## ACOUSTIC EVERYDAY 3 PACKS (only North America and Latin America)



### PN

16544  
16545  
16546

### Phosphor Bronze with NANOWEB Coating

Custom Light  
Light  
Medium

E-1	B-2	G-3	D-4	A-5	E-6
.011	.015	.022	.032	.042	.052
.012	.016	.024	.032	.042	.053
.013	.017	.026	.035	.045	.056



### PN

16538  
16539

### 80/20 Bronze with NANOWEB Coating

Custom Light  
Light

.011	.015	.022	.032	.042	.052
.012	.016	.024	.032	.042	.053

## ELECTRIC



### PN

19002  
19027  
19052  
19077  
19102

### Nickel Plated Steel with OPTIWEB® Coating

Super Light  
Custom Light  
Light  
Light/Heavy  
Medium

E-1	B-2	G-3	D-4	A-5	E-6	B-7	F#-8
.009	.011	.016	.024	.032	.042	-	-
.009	.011	.016	.026	.036	.046	-	-
.010	.013	.017	.026	.036	.046	-	-
.010	.013	.017	.032	.042	.052	-	-
.011	.014	.018	.028	.038	.049	-	-

19007

7-String Super Light

.009	.011	.016	.024	.032	.042	.052	-
------	------	------	------	------	------	------	---

19057

7-String Light

.010	.013	.017	.026	.036	.046	.056	-
------	------	------	------	------	------	------	---

19062

8-String Light

.010	.013	.017	.030	.042	.054	.064	.074
------	------	------	------	------	------	------	------

19074

7-String Light/Heavy

.010	.013	.017	.026	.036	.046	.059	-
------	------	------	------	------	------	------	---

19106

7-String Medium

.011	.014	.018	.028	.038	.049	.059	-
------	------	------	------	------	------	------	---

PN	Description	E-1	B-2	G-3	D-4	A-5	E-6	B-7	F#-8
		<b>Nickel Plated Steel with NANOWEB Coating</b>							
12002	Super Light	.009	.011	.016	.024	.032	.042	-	-
12027	Custom Light	.009	.011	.016	.026	.036	.046	-	-
12052	Light	.010	.013	.017	.026	.036	.046	-	-
12077	Light/Heavy	.010	.013	.017	.032	.042	.052	-	-
12102	Medium	.011	.014	.018	.028	.038	.049	-	-
12152	Heavy	.012	.016	.024	.032	.042	.052	-	-
12302	Baritone	.012	.016	.022	.038	.052	.068	-	-
<hr/>									
12007	7-String Super Light	.009	.011	.016	.024	.032	.042	.052	-
12057	7-String Light	.010	.013	.017	.026	.036	.046	.056	-
12062	8-String Light	.010	.013	.017	.030	.042	.054	.064	.074
12074	7-String Light/Heavy	.010	.013	.017	.026	.036	.046	.059	-
12106	7-String Medium	.011	.014	.018	.028	.038	.049	.059	-
12450	12-String Light	<b>E</b>	<b>B</b>	<b>G</b>	<b>D</b>	<b>A</b>	<b>E</b>		
		.010	.013	.017	.026	.036	.046		
		.010	.013	.009	.012	.018	.026		
<hr/>									
PN	<b>Nickel Plated Steel with POLYWEB Coating</b>	<b>E-1</b>	<b>B-2</b>	<b>G-3</b>	<b>D-4</b>	<b>A-5</b>	<b>E-6</b>		
12000	Super Light	.009	.011	.016	.024	.032	.042		
12025	Custom Light	.009	.011	.016	.026	.036	.046		
12050	Light	.010	.013	.017	.026	.036	.046		
12100	Medium	.011	.014	.018	.028	.038	.049		

**ELECTRIC EVERYDAY 3 PACKS**  
(only North America and Latin America)

PN	Description	E-1	B-2	G-3	D-4	A-5	E-6
		<b>Nickel Plated Steel with NANOWEB Coating</b>					
16540	Super Light	.009	.011	.016	.024	.032	.042
16542	Light	.010	.013	.017	.026	.036	.046
<hr/>							
PN	<b>Nickel Plated Steel with OPTIWEB® Coating</b>						
16550	Super Light	.009	.011	.016	.024	.032	.042
16552	Light	.010	.013	.017	.026	.036	.046

**ELECTRIC BASS**

PN	Description	G-1	D-2	A-3	E-4	B-5	C-6
		<b>Nickel Plated Steel with NANOWEB® Coating</b>					
14002	4-String Super Light, Long Scale	.040	.060	.075	.095	-	-
14052	4-String Light, Long Scale	.045	.065	.080	.100	-	-
14077	4-String Light/Medium, Long Scale	.045	.065	.085	.105	-	-
14087	4-String Light/Medium, Extra Long Scale	.045	.065	.085	.105	-	-
14102	4-String Medium, Long Scale	.050	.070	.085	.105	-	-
14202	5-String Light, Long Scale	.045	.065	.085	.105	.130	-
14207	5-String Light/Medium, Long Scale	.045	.065	.085	.105	.135	-
<hr/>							
PN	<b>Stainless Steel with NANOWEB Coating</b>	<b>G-1</b>	<b>D-2</b>	<b>A-3</b>	<b>E-4</b>	<b>B-5</b>	<b>C-6</b>
14652	4-String Light, Long Scale	.045	.065	.080	.100	-	-
14677	4-String Light/Medium, Long Scale	.045	.065	.085	.105	-	-
14702	4-String Medium, Long Scale	.050	.070	.085	.105	-	-
14777	5-String Light, Long Scale	.045	.065	.085	.105	.130	-
14782	5-String Light/Medium, Long Scale	.045	.065	.085	.105	.135	-

**ELECTRIC BASS 5th & 6th STRING SINGLES**

PN	Description	G-1	D-2	A-3	E-4	B-5	C-6
		<b>Nickel Plated Steel with NANOWEB Coating Custom 5th and 6th String Singles</b>					
15332	Medium C	-	-	-	-	-	.032
15425	Super Light B, Long Scale	-	-	-	-	.125	-
15430	Light B, Long Scale	-	-	-	-	.130	-
15432	Light B, Long Scale TaperWound	-	-	-	-	.130tw	-
15433	Light B, Extra Long Scale, TaperWound	-	-	-	-	.130tw	-
15435	Medium B, Long Scale	-	-	-	-	.135	-
<hr/>							
PN	<b>Stainless Steel with NANOWEB Coating Custom 5th String Singles</b>	<b>G-1</b>	<b>D-2</b>	<b>A-3</b>	<b>E-4</b>	<b>B-5</b>	<b>C-6</b>
13426	Super Light B, Long Scale	-	-	-	-	.125	-
13436	Light B, Long Scale	-	-	-	-	.130	-

**ACOUSTIC BASS**

PN	Description	G-1	D-2	A-3	E-4	B-5	C-6
14502	<b>80/20 Bronze with NANOWEB Coating</b> 4-String Light, Long Scale	.045	.065	.080	.100	-	-

# SINGLE STRINGS

## Anti-Rust Plain Steel

PN	Gauge	PN	Gauge
13009	.009	13015	.015
13010	.010	13016	.016
13011	.011	13017	.017
13012	.012	13018	.018
13013	.013	13022	.022
13014	.014		

## Acoustic 80/20 Bronze with

NANOWEB Coating		POLYWEB Coating		Gauge
PN		PN		
15122		13122		.022
15123		13123		.023
15124		13124		.024
15125		-		.025
15126		13126		.026
15127		13127		.027
15128		13128		.028
15130		13130		.030
15132		13132		.032
15135		13135		.035
15139		13139		.039
15142		13142		.042
15145		13145		.045
15147		13147		.047
15152		13152		.052
15153		13153		.053
15156		13156		.056
15159		13159		.059
15170		-		.070

## Acoustic Phosphor Bronze with

NANOWEB Coating		Gauge
PN		
14122		.022
14123		.023
14124		.024
14125		.025
14126		.026
14127		.027
14130		.030
14132		.032
14135		.035
14139		.039
14142		.042
14145		.045
14147		.047
14152		.052
14153		.053
14156		.056

## Electric Nickel Plated Steel with

NANOWEB® Coating		POLYWEB® Coating		OPTIWEB® Coating		Gauge
PN		PN		PN		
15224		13224		16224		.024
15226		13226		16226		.026
15228		13228		16228		.028
15230		-		16230		.030
15232		13232		16232		.032
15236		13236		16236		.036
15238		13238		16238		.038
15242		13242		16242		.042
15246		13246		16246		.046
15249		13249		16249		.049
15252		-		16252		.052
15254		-		16254		.054
15256		-		16256		.056
15259		-		16259		.059
15260		-		16260		.060
15262		-		16262		.062
15264		-		16264		.064
15268		-		-		.068
15274		-		16274		.074
15280		-		16280		.080

## Electric Bass Nickel Plated Steel with

NANOWEB Coating		Gauge
PN		
15332		.032
15340		.040
15345		.045
15350		.050
15360		.060
15365		.065
15370		.070
15375		.075
15380		.080
15385		.085
15395		.095
15400		.100 L
15405		.105 L
15406		.105 XL
15425		.125 L
15430		.130 L
15431		.130 XL
15432		.130tw L
15433		.130tw XL
15435		.135 L

## Electric Bass Stainless Steel with

NANOWEB Coating		Gauge
PN		
13346		.045
13366		.065
13381		.080
13386		.085
13402		.100 L
13407		.105 L
13426		.125 L
13436		.130 L
13437		.135 L

## Acoustic Bass 80/20 Bronze with

NANOWEB Coating		Gauge
PN		
15745		.045
15765		.065
15780		.080
15800		.100 L
15825		.125 L

# CUSTOMER SERVICE INFORMATION

## United States & Other Regions

W. L. Gore & Associates, Inc.  
201 Airport Road  
Elkton, MD 21921

**Email: [elixirstrings@wlgore.com](mailto:elixirstrings@wlgore.com)**

Phone: +1 800 367 5533 (USA only)

## Europe

W. L. Gore & Associates GmbH  
Hermann-Oberth-Str. 26  
D-85640 Putzbrunn - Germany

**Email: [elixireurope@wlgore.com](mailto:elixireurope@wlgore.com)**

Telefon: +49 89 4612 2242

